REFERENCE OF TENDER	DESCRIPTION OF TENDER	TIME PERIOD OF TENDER	DEPARTMENT/DIVISION/ UNIT REQUESTING TENDER	FEES	CLOSING DATE NOT LATER THAN 2.00PM	FOCAL PERSON
KK/337/2022/UPP(TC)	THE SUPPLY, DELIVERY AND MAINTENANCE OF HEARING AIDS FOR AUDIOLOGY SERVICES, DEPARTMENT OF OTORHINOLARYNGOLOGY, RAJA ISTERI PENGIRAN ANAK SALEHA (RIPAS) HOSPITAL FOR A PERIOD OF TWO (2) YEARS (PART 1)	2 YEARS	RIPAS HOSPITAL	\$50.00	17 th JANUARY 2023	Nurrul Akmar binti Halem Head of Audiology Unit Department of Otorhinolarynology Hospital Raja Isteri Pengiran Anak Saleha (RIPAS) Ministry of Health Negara Brunei Darussalam Contact No. 2242424 EXT 5309 Email: nurrul.halem@moh.gov.bn

SECTION 2

SPECIFICATION

TENDER REFERENCE NO : KK/337/2022/UPP(TC)

INVITATION TO TENDER

SUPPLY, DELIVERY AND MAINTAINANCE OF HEARING AIDS FOR AUDIOLOGY SERVICES, DEPARTMENT OF OTORHINOLARYNGOLOGY, RAJA ISTERI PENGIRAN ANAK SALEHA (RIPAS) HOSPITAL FOR A PERIOD OF TWO (2) YEARS (PART 1)

DELIVERY PERIOD	NOT	MORE	THAN	30	DAYS	UPON	RECEIPT	OF
DELIVERT PERIOD	PURC	CHASE C	RDER					

ITEM NO.	ITEM DESCRIPTION	ESTIMATE USAGE PER YEAR
1.	 Suitable for mild to severe hearing loss, all audiometric configuration Behind-the-ear hearing (BTE) uses battery size 13 with interchangeable standard (damped/undamped) and paediatric hooks (damped/ undamped) as well as for open-fitting 3 pairs of right and left cables for programming Updated CD Software for programming Interfaces with NOAHLink/ NoahLink Wireless / HiPro2/ AirLink Technical Data: Ear Simulator Frequency range 100-7500Hz OSPL90 (peak) at least 138dBSPL Full on gain (peak) at least 138dBSPL Frequency range 100-7300Hz OSPL90 (peak) at least 131dBSPL Frequency range 100-7300Hz OSPL90 (peak) at least 131dBSPL Frequency range 110-7300Hz SoSPL90 (peak) at least 131dBSPL Frequency range 120-7300Hz SoSPL90 (peak) at least 131dBSPL Full on gain (peak) at least 66dB Features Fitting formulas NAL-NL1, NAL-NL2, DSL v5a Paediatrics / Adults Fitting band At least 8KHz Processing channels 48 Fitting band At least 3 Push button (program / volume) Multiple Directionality Options Noise management Compatible with wireless communication system Other features Wireless connectivity between two hearing aids (TwinLink) Frequency lowering (Speech Rescue LX) Improves soft speech understanding (Soft Speech Booster LX) Feedback management system (Feedback shield LX) 	200 UNITS

ITEM NO.	ITEM DESCRIPTION		ESTIMATE USAGE PER YEAR
	• Provides a variety of relief sounds to meet the ind	lividual needs of people	
	with tinnitus (Tinnitus SoundSupport)		
	Compatible with Contralateral Routing of Signals (C	CROS) hearing aids	
	Additional requirements		
	 Pin removable tool used to change battery doors 	: 60 pieces	
	 Battery tamper proof doors 	: 60 pieces	
	 Pins to change to paediatric earhooks (if required) 	: 100 pieces	
	 Paediatric ear hook (undamped) 	: 60 pieces	
	 Tools to change to open fitting earhooks 	: 20 pieces	
	 Open fitting ear hooks 	: 80 pieces	
	 Slim tubes/Corda (various sizes) 	: 10 pieces each	
	 Ear domes (various sizes) 	: 10 pieces each	
	Each hearing aid should include the following:		
	 Warranty 2 years 		
	 1 unit of custom earmould (soft/hard) 		
	 1 set hearing aid kit consisting of a SafeLine[™], beaker, air puffer, battery tester and cleaning tools At least one packet of size 12 zine air batteries 	drying capsules, drying	
	 At least one packet of size 13 zinc air batteries 		

SECTION 3

FORMS TO BE USED

CONTENTS

SCHEDULE 1 – TENDER FORM	Error! Bookmark not defined.
SCHEDULE 2 - INFORMATION SUMMARY	8
SCHEDULE 3 – SUB-CONTRACTS	9
SCHEDULE 4 – COMPANY'S BACKGROUND	10
SCHEDULE 5 – REFERENCES	11
SCHEDULE 6 - SUBMISSION OF SAMPLE	12
SCHEDULE 7 - DECLARATION	

SECTION 3

TENDER FORM

TENDER REFERENCE NO: KK/337/2022/UPP(TC)

INVITATION TO TENDER

SUPPLY, DELIVERY AND MAINTAINANCE OF HEARING AIDS FOR AUDIOLOGY SERVICES, DEPARTMENT OF OTORHINOLARYNGOLOGY, RAJA ISTERI PENGIRAN ANAK SALEHA (RIPAS) HOSPITAL FOR A PERIOD OF TWO (2) YEARS (PART 1)

ITEM.	DESCRIPITON USAGE BRAND PACKING SIZE UNIT				DELIVERY			
NO.		PER YEAR	OFFERED		PRICE	ONE (1) YEAR	TWO (2) YEARS	PERIOD
1	THE SUPPLY, DELIVERY AND MAINTENANCE OF HEARING AIDS FOR AUDIOLOGY SERVICES, DEPARTMENT OF OTORHINOLARYNGOLOGY, RAJA ISTERI PENGIRAN ANAK SALEHA (RIPAS) HOSPITAL FOR A PERIOD OF TWO (2) YEARS (PART 1)	200 UNITS						

SPECIFICATIONS AND REQUIREMENTS:

ITEM.		CON	IPLY	PLEASE SPECIFY
NO.	ITEM DESCRIPITON		NO (X)	(IF ANY)
1	 Suitable for mild to severe hearing loss, all audiometric configuration 			
	 Behind-the-ear hearing (BTE) uses battery size 13 with interchangeable standard (damped/undamped) and paediatric hooks (damped / undamped) as well as for open-fitting 			
	3 pairs of right and left cables for programming			
	Updated CD Software for programming			
	Interfaces with NOAHLink/ NoahLink Wireless / HiPro2/ AirLink			
	Technical Data:			
	✓ Ear Simulator			
	✓ Frequency range : 100-7500Hz			
	✓ OSPL90 (peak) : at least 138dBSPL			
	✓ Full on gain (peak) : at least 73dB			
	2cc coupler			

ITEM.	ITEM DESCRIPITON		IPLY	PLEASE SPECIFY
NO.			NO (X)	(IF ANY)
	✓ Frequency range : 100-7300Hz			
	✓ OSPL90 (peak) : at least 131dBSPL			
	✓ Full on gain (peak) : at least 66dB			
	Features			
	Fitting formulas : NAL-NL1, NAL-NL2, DSL v5a Paediatrics / Adults			
	Fitting Bandwidth : At least 8KHz			
	Processing channels : At least 48			
	Fitting bands : At least 20			
	Manual Program : At least 3			
	Push button (program / volume)			
	Multiple Directionality Options			
	Noise management			
	Compatible with wireless communication system			

ITEM.	ITEM DESCRIPITON		IPLY	PLEASE SPECIFY
NO.			NO (X)	(IF ANY)
	Other features			
	Wireless connectivity between two hearing aids (TwinLink)			
	Frequency lowering (Speech Rescue LX)			
	Improves soft speech understanding (Soft Speech Booster LX)			
	Feedback management system (Feedback shield LX)			
	• Provides a variety of relief sounds to meet the individual needs of people with tinnitus (Tinnitus SoundSupport)			
	Compatible with Contralateral Routing of Signals (CROS) hearing aids			
	Additional requirements			
	Pin removal tool used to change battery doors : 10 pieces			
	Battery tamper proof doors : 60 pieces			
	Pins to change to paediatric earhooks (if required): 100 pieces			
	Paediatric ear hook (undamped) : 60 pieces			
	• Tools to change to open fitting earhooks : 20 pieces			
	Open fitting ear hooks : 80 pieces			

ITEM.			IPLY	PLEASE SPECIFY
NO.	ITEM DESCRIPITON	YES (√)	NO (X)	(IF ANY)
	• Slim tubes/Corda (various sizes) : 10 pieces each			
	• Ear domes (various sizes) : 10 pieces each			
	Each hearing aid should include the following			
	Warranty 2 years			
	1 unit of custom earmould (soft/hard)			
	 1 set hearing aid kit consisting of a SafeLine[™], drying capsules, drying beaker, air puffer, battery tester and cleaning tools 			
	One packet of size 13 zinc air batteries			

- 1. We offer and undertake on your acceptance of our Tender to provide the above mentioned services in accordance with your Invitation To Tender.
- 2. Our Tender is fully consistent with and does no contradict or derogate from anything in your Invitation To Tender. We have not qualified or changed any of the provisions of your Invitation To Tender.
- 3. OUR OFFER IS VALID FOR <u>TWELVE (12)</u> CALENDAR MONTHS FROM THE TENDER CLOSING DATE.
- 4. When requested by you, we shall extend the validity of this offer.
- 5. We further undertake to give you any further information which you may require.

Dated this______, _____,

Tenderer's official stamp

[Signature of authorised officer of Tenderer] Name: Designation:

SCHEDULE 2 - INFORMATION SUMMARY

- 2.1 Tenderers shall provide in this Schedule the following information:
 - (a) Management summary
 - (b) Company profile (including Contractor and sub-contractor(s), if any)
 - (c) Years of experience (as of the Tender Closing Date) of the Contractor and subcontractor(s) in the:
 - Supply, Delivery & Maintain of Hearing Aids
 - (d) Other information which is considered relevant

SCHEDULE 3 – SUB-CONTRACTS

- 3.1 Tenderers shall complete Table 3.1 with information about all the companies involved in the provision of the services and items specified in this tender. This shall include details about the Contractor and each sub-contractor involved, as well as their respective responsibilities.
- 3.2 Tenderers shall also indicate in Table 3.1 any alliance relationship established with each subcontractor. An alliance is defined as a formal and binding business relationship between the allied parties.

Table 3.1Responsibility Table

		Alliance Relationship between Contractor and Sub-contractor(s)							
Company Name	Responsibility Description	Alliance Exists? (Y/N)	Date Established	Alliance Description					
Contractor	Contractor								
		Not Applicable	Not Applicable	Not Applicable					
Sub-contractor(s)									

SCHEDULE 4 – COMPANY'S BACKGROUND

4.1 Each of the companies involved in this tender, including Contractor and sub-contractor(s) (if any), shall provide information on the company's background, scope of operations, financial standing and certified copy of its Certificate of Incorporation or Certificate of Registration (as the case may be).

SCHEDULE 5 – REFERENCES

5.1 Tenderers shall submit a list of customers in Table 5.1 to whom the Contractor has provided similar services and items as specified in this tender in the recent 5 years as of the Tender Closing Date.

Table 5.1References of previous customers

Customer Name and Address	Customer Type (Govt or Quasi Govt)*	Contact Person	Title	Contact Number, Fax Number and E-mail Address

*Note: Tenderers shall indicate whether the customer is a Government or Quasi Government organisation. A Quasi Government is defined as an organisation which (1) is managed and controlled by the Government; or (2) has at least 50% shares being held by the Government. Please leave the column blank if the customer is neither a Government or Quasi Government organisation.

- 5.2 The Ministry of Health shall treat all the information submitted under this schedule in strict confidence.
- 5.3 The Ministry of Health reserves the right to contact the references for tender assessment purposes.

SCHEDULE 6 – SUBMISSION OF SAMPLE

- 6.1 Tenderer shall submit the Submission of Sample Form below in respect of the items specified in this tender.
- 6.2 Samples of the items to be submitted shall be:
 - a. Identical in packing and manufacture to the items to be offered by the Tenderer; and
 - b. Marked with the corresponding item number of the tender.

SUBMISSION OF SAMPLE FORM

To:

TENDER REFERENCE NO: KK/337/2022/UPP(TC)

INVITATION TO TENDER

SUPPLY, DELIVERY AND MAINTAINANCE OF HEARING AIDS FOR AUDIOLOGY SERVICES, DEPARTMENT OF OTORHINOLARYNGOLOGY, RAJA ISTERI PENGIRAN ANAK SALEHA (RIPAS) HOSPITAL FOR A PERIOD OF TWO (2) YEARS (PART 1)

SUBMISSION OF SAMPLE OF (NAME OF TENDERER)

NO.	ITEM	SAMPLE SUBMITTED (indicate with √)	SAMPLE NOT SUBMITTED (indicate with x)	OFFERED/ NOT OFFERED (indicate as appropriate)
1	SUPPLY, DELIVERY AND MAINTAINANCE OF HEARING AIDS FOR AUDIOLOGY SERVICES, DEPARTMENT OF OTORHINOLARYNGOLOGY, RAJA ISTERI PENGIRAN ANAK SALEHA (RIPAS) HOSPITAL FOR A PERIOD OF TWO (2) YEARS (PART 1)			

We shall understand as stated in the Instruction To Tenderers that failure to provide samples shall lead to Tenders not being considered.

Tenderer's official stamp

signature of authorized officer of Tenderer Name: Designation: Date:

FOR OFFICIAL USE

Date of receipt: Receiving officer: